

Pharmacy First at a glance

Condition	Inclusion criteria	Exclusion criteria	Medicines	Leaflet
Uncomplicated UTI in women	16-64 years	<ul style="list-style-type: none"> • Pregnant under 16 • Urinary catheter • Recurrent (2x in last 6 months or 3x in last 12 months) 	<ul style="list-style-type: none"> • Nitrofurantoin 	Target UTI leaflet
Shingles	18+ years	<ul style="list-style-type: none"> • Pregnant 	<ul style="list-style-type: none"> • Aciclovir • Valaciclovir 	British Association of Dermatologists Shingles leaflet
Impetigo	1+ years	<ul style="list-style-type: none"> • Pregnant under 16 • Bullous impetigo • Recurrent (2 or more in 12 months) 	<ul style="list-style-type: none"> • Hydrogen peroxide cream • Fusidic acid cream • Flucloxacillin • Clarithromycin • Erythromycin 	British Association of Dermatologists Impetigo leaflet
Infected Insect Bites	1+ years	<ul style="list-style-type: none"> • Pregnant under 16 	<ul style="list-style-type: none"> • Flucloxacillin • Clarithromycin • Erythromycin 	
Acute Sore Throat	5+ years	<ul style="list-style-type: none"> • Pregnant under 16 	<ul style="list-style-type: none"> • Penicillin V • Clarithromycin • Erythromycin 	Target RTI leaflet
Acute Sinusitis	12+ years	<ul style="list-style-type: none"> • Pregnant under 16 • Immunosuppressed • Chronic sinusitis (>12 weeks) 	<ul style="list-style-type: none"> • Mometasone nasal spray • Fluticasone nasal spray • Penicillin V • Clarithromycin • Erythromycin • Doxycycline 	Target RTI leaflet
Acute Otitis Media	1 – 17 years	<ul style="list-style-type: none"> • Pregnant under 16 • Recurrent (3x in 6 months or 4x in 12 months) 	<ul style="list-style-type: none"> • Phenazone & lidocaine ear drops • Amoxicillin • Clarithromycin • Erythromycin 	